

**From:** European Data Protection Supervisor  
**To:** <Fabrice.Leggeri@frontex.europa.eu>  
**CC:** [REDACTED]  
**Sent at:** 29/01/16 16:56:00  
**Subject:** Our ref. 2015-0346 D-0297

Dear Sir,

Please find attached a scanned version of a letter sent to you by regular mail today.

Best regards,



---

**EDPS Secretariat**

Tel. +32 2 283 19 00 | Fax +32 2 283 19 50

✉ [edps@edps.europa.eu](mailto:edps@edps.europa.eu)

**European Data Protection Supervisor**

Postal address: Rue Wiertz 60, B-1047 Brussels

Office address: Rue Montoyer 30, B-1040 Brussels

 [@EU\\_EDPS](https://twitter.com/EU_EDPS)  [www.edps.europa.eu](http://www.edps.europa.eu)

This email (and any attachment) may contain information that is internal or confidential. Unauthorised access, use or other processing is not permitted. If you are not the intended recipient please inform the sender by reply and then delete all copies. Emails are not secure as they can be intercepted, amended, and infected with viruses. The EDPS therefore cannot guarantee the security of correspondence by email.



WOJCIECH RAFAŁ WIEWIÓROWSKI  
ASSISTANT SUPERVISOR

Mr Fabrice LEGGERI  
Executive Director  
Frontex  
Plac Europejski 6  
00-844 Warsaw  
Poland

Brussels, 29 January 2016  
WW/OL/sn/D(2016)0297 C 2015-0346  
Please use [edps@edps.europa.eu](mailto:edps@edps.europa.eu) for all  
correspondence

**Subject: Follow-up of prior check Opinion on PeDRA**

Dear Mr Leggeri,

In the follow-up to the EDPS prior checking Opinion on PeDRA, we have had further exchanges with your staff<sup>1</sup> on the implementation of the recommendations made.

Frontex has provided a copy of its risk assessments carried out in the past and has started a specific risk assessment for PeDRA, with a target date of end of February for completion. Implementation of possible newly-required controls will start as soon as possible afterwards.

In the light of this information, the EDPS has no objection to Frontex starting the pilot test for PeDRA.

That being said, a complete and up-to-date assessment of all relevant risks and their treatment should be ready in time for the full rollout. This assessment should also take into account possible changes in the risk landscape since the time of the earlier analysis (including specific risks for PeDRA).

Please keep us informed on any new developments, also concerning the other remaining recommendations.

Yours sincerely,

Wojciech Rafał WIEWIÓROWSKI

Cc:

---

<sup>1</sup> Videoconference on 15/12/2015 and message from on 19/01/2016.